
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



FALL 1941 Wholesale Price List





VERHALEN NURSERY COMPANY

SCOTTSVILLE, TEXAS

Do Not EXPOSE Our Wholesale Prices To Your Landscape Clients or Other Customers.

WE DO NOT SELL AT RETAIL.



Is It Fun?

To try to get what is left from the defense preparations for we nursery-run business men to use? That is why we offer this style of price list instead of our usual dressed up catalog.

Wages are high and payrolls big. Merchandise values are fluctuating daily. Stabilized prices and adequate supplies, even of nursery stock, are difficult to offer. For these reasons our prices are subject to change without notice. They may go HIGHER and they might be reduced.

We offer new LOWER carload freight rates on balled and burlapped nursery stock between Texas and all points in Oklahoma, Louisiana and Arkansas; also to Memphis and other cities south to New Orleans on the Mississippi River.

Effective date will probably be in October. A few examples follow:

	Was	Now	Now
	16,000 lbs	18,000 lbs	30,000 lbs
	r	ate per 100 ll	os.
Oklahoma City, Okla.	54c	40c	32c
Tulsa, Okla.	58c	42c	34c
Memphis, Tenn.	55c	40c	32c
Little Rock, Ark.	40c	33c	26c
Vicksburg, Miss.	47c	31c	25c
Baton Rouge, La.	47c	35c	28c
Lake Charles, La.	41c	31c	25c
New Orleans, La.	40c	39c	31c

Carloads with more than one order in may be stopped enroute for unloading for \$6.93 for each stop. Our trucks will deliver to reasonable distances on approximately the 18,000 pound carload basis. Carloads assure fresher looking plants and quicker deliveries.

Is It Past?

to the second of the second of the second propositions for an assessment of the second of the second

the principal are comes released in a delice one has delice or the control of the

on beginned has reflect a some in this reflect and burisped and burisped and burisped and Adams in this town of the burish and Adams in the burish in the second of the burish and Adams in the second of the burish and Adams in the second of the second of

resided date and products in the product of all steading fire and white the

Account 18000 th. Salescent

termed with mose togo me more in that be stooped enterior as unional on a properly and each also considered and considered to recognible distances on approximately more 13 told considered basis. Carlonde assure fresher booking plants and quelyer delevates

WHOLESALE PRICE LIST

Fall 1941

VERHALEN NURSERY COMPANY Scottsville, Texas

Tele	phone	
Marshall,		4876

Telegrams
Western Union, Scottsville, Texas

Geo. F. Verhalen, Pres.

R. P. Verhalen, Vice-Pres.

Steve G. Verhalen, Sec'y and Southern Sales

L. C. Ihrke Northern Representative

* * *

CONIFERS

Balled and Burlapped (B&B) unless otherwise noted.


	Approx. Weight	Each	Each per 10	Each per 100
BIOTA orientalis - CHINESE ARBOR and screens. 15 ft.	VITAE. Sheare	d, a fa	vorite for	hedging
18-24 in	. 40 . 70 . 110	\$.50 .65 1.00 1.25 1.50	\$.45 .55 .85 1.10 1.35	
BIOTA orientalis aurea nana - BE 15-18 in	. 22 . 30 . 40 . 70	ARBOR .75 1.00 1.15 1.40 1.65	VITAE. 8 .65 .90 1.10 1.35	.60 .85

CONIFERS (CONT D)

Approx. Weight Each	Each Each per 100
BIOTA orientalis pyramidalis - BAKER'S HYBRID ARBOR V shaped, green. 10 ft. 18-24 in	\$.45 \$.40 55 .50 .65 .60
BIOTA orientalis bonita - BONITA ARBOR VITAE. Dwarf 12-15 in	green, round. 4 ft. 0 .45 .40 0 .55 .50 5 .65 .60
BIOTA orientalis bonita aurea - GOLDEN BONITA ARBOR V 12-15 in	
	0 .85 .75 5 1.15 0 1.40 0 1.85
BIOTA rosedale - ROSEDALE ARBOR VITAE. 15-18 in	5 .40 .35 0 .45 .40
	0
CEDRUS deodara - DEODAR or HIMALAYAN CEDAR. Most gr tree for the south. 30 ft. 2 - 3 ft	0 1.35 5 2.00
	25 1.10 60 1.35


CONIFERS (CONT'D)

	Approx. Weight	Eac Cach per	h Each 10 per 100
CUPRESSUS arizonica verhaleni - Al cuttings. Soft, gracefu	ul growing (not	stiff): b	rilliant blue
broad body, open head; : 2 - 3 ft	40 lbs. \$.75 · · · · · · · · · · · · · · · · · · ·	65 90
CUPRESSUS sempervirens - ITALIAN (grown. 35 ft.		· ·	
2 - 3 ft	30	.60 .	55 .50
2 - 3 ft	40	.90	80 .70
CUPRESSUS horizontalis - HORIZONT, side branches grow out 1	AL ITALIAN CYPE horizontally.	WSS. Grow	s upright,
2 - 3 ft	30	.65	55
3 - 4 ft	40	.90 -	
TO 0.00			
ט ט	NIPERS		
JUNIPERUS chinensis columnaris -			
24-30 in	40	.90 .	85 .75
3 - 4 ft	70	1.50 1.	40 1.35
4 - 5 ft	110	2.00 1.	90 1.85
5 - 6 ft	110	2.50 2.	40 2.35
JUNIPERUS chinensis columnaris -	CHINESE COLUMNA	AR JUNIPER,	Green. 20 ft.
3 - 4 ft	70	1.25 1.	15 1.00
4 - 5 ft			
5 - 6 ft	110	2,25 -	
JUNIPERUS chinensis keteleeri - K			
green; becoming increas apple rust. 20 ft.	ingly popular;	not subject	t to cedar
2 - 3 ft	40	1.40 1.	25
3 - 4 ft	70		75
4 - 5 ft			35
6 - 7 ft			
JUNIPERUS chinensis mascula - PYR	AMIDAL JUNIPER	. A very f	fine type of
upright fancy green jun	iper. 20 ft.		
3 - 4 ft	70	1.25 1.	1.00
4 - 5 ft	1.60	2.25	.65 1.50
		~	



	Approx. Weight Each		Each per 100
JUNIPERUS chinensis pfitzeriana - beautiful, roundly-shear	ed plants.		
12-15 in	22 .90 30 1.10 40 1.60	\$.65 .85 1.00 1.45 2.25	.75 .90 1.35
JUNIPERUS chinensis pfitzeriana -			
young, high crowned, ext 18-24 in	tra heavy, beautiful . 70 1.50 . 70 2.00	ly built s	pecimens. 1.25 1.75
JUNIPERUS chinensis sargenti - SAI best low trailing junipe	ers for small garden	ns. 4 ft.	spread.
12-15 in	. 22 .79	.65	
JUNIPERUS communis ashfordi - ASH perfect hedge juniper.	Adapted for founda	tion planti	
small, broad, barrel-sh	aped juniper. 101	.45	.40
18-24 in	. 40 . 60	.55 .85	
4-010	* TOO T.O.	5 1.25	1.00
5 - 6 ft	. 22 .50	1.60 3.45	1.25 .35
18-24 in. globes	. 30 .7	5 .65	. 50
2 - 3 ft. globes	. 40	.75	. 65
JUNIPERUS communis depressa plumo flatly horizontal; take	s a deep plum color	from fall	until
spring; hardy everywher Pfitzer Juniper. 5 ft.		opriate in	front of
15-18 in	. 30 .5	0 .45	
18-24 in	. 70 1.0	5 .65 0 .85	.50 .75
JUNIPERUS communis depressa vase	shape - VASE SHAPE	JUNIPER.	New;
symmetrically bowl-shap		rn. 4 ft. 0 .45	. 40
2 - 3 ft		5 .75	

	Approx. Weight	Each p	Each er 10	Each per 100
JUNIPERUS communis hibernica fasti narrow form of upright p and sun-resistant and do 18-24 in	illar-like jures well in our 22 lbs. 30	southwes 6.60 .90	h is wea t. 8 ft \$.50 .75 1.00	ther
JUNIPERUS conferta (litoralis) - S foliage, prostrate; bran 8 ft. spread.	chlets growing			
15-18 in	22 30 400	.60 .75 1.00	.65 .85	.60
JUNIPERUS excelsa stricta - SPINY tree. 10 ft.	GREEK JUNIPER	. Small,	conical	glaucous
12-18 in	30	.70 .90 1.15	. 60 . 75	
JUNIPERUS horizontalis douglasi - blue, prostrate, flat tr rockeries.	WAUKEGAN JUNI ailing. Exce	PER. Stri llent for	kingly s	silvery-
18-24 in	30 40	.75 1.15	*** *** ***	
JUNIPERUS japonica (procumbens) -	JAPANESE JUNI	PER. Low,	flat gr	cowing;
thick, heavy, blue-green 12-15 in	30 40	.65 .90 1.25 1.50 3.00	1.10	.50 .75 1.00
JUNIPERUS japonica (procumbens) - specimens 3 to 5 feet to Fancy	Novelty.	Unusuall 2.00	Ly attra	
JUNIPERUS sabina - SAVIN JUNIPER. largely used. 4 ft. 15-18 in	22 30 40	.85 1.00 1.25 1.50	. 7 5	.65 .85 1.00




Approx. Weight Each	Each per 10	Each per 100
JUNIPERUS sabina tamariscifolio - TAMARIX-LEAVED SAVIN	JUNIPER.	Dwarf;
rock gardens. 8 ft. spread. 12-15 in	\$.85 1.15	\$.75 1.00
	ader, fast	cer
growing form of Savin Juniper. 10 ft. 18-24 in	.95 1.15 1.40	1.00
JUNIPERUS sabina von ehron - UPRIGHTLY-TRAINED VON EHR unusual new landscape form; trained from 4 t Looks like and usable as a dwarfed Cannart J	o 6 feet t	R. Àn Sall,
3 - 4 ft	1.65 2.25 2.50	1.50
JUNIPERUS sabina von ehron - GLOBE-TRIMMED VON EHRON J 24-30 in 40 1.50		1.25
JUNIPERUS scopulorum - BLUE MOON JUNIPER. Silver gray 2 - 3 ft 40 1.25	; new. 20 1.15	ft. 1.00
JUNIPERUS scopulorum fraseri - FRASER JUNIPER. Silver 18-24 in	y. 20 ft. .75 1.00 1.35	
JUNIPERUS scopulorum - MOCNAIGAN JUNIPER. Silvery, op mostly in flat panels, squable for prominen attractive, 20 ft.		
2 - 3 ft 40 1.25 3 - 4 ft		
4 - 5 ft		
JUNIPERUS scopulorum - NEVINS BLUE JUNIPER. A beautif	'ul blue,	compact,
18-24 in		
50-36 in 70	1.35	1.25
3 - 4 ft 110 1.75	T.00	1,00

Camero a could LAST


. 0

	Approx. Weight	Each	Each per 10	
JUNIPERUS scopulorum - NORTH STAF not turn brown in winter 18-24 in	er like Red . 30 lbs. . 40 . 40 . 110		occasion	ally. 20 f
JUNIPERUS scopulorum - SILVER GLO compact. Most popular 18-24 in	of the scop . 30 . 40 . 40 . 70	ulorums90 1.15 1.40 2.25	.85 1.10 1.35	.75 1.00 1.25 2.00
JUNIPERUS squamata meyeri - MEYER thick, heavily foliaged pecially good for rock Partial shade. Dwarf 12-15 in	d, odd uneve gardens or 4 it. 14 22 30	enly growin other impo .90 1.25 1.65	g Juniper rtant pos .85 1.15 1.50	.75 1.00 1.35
JUNIPERUS virginiana - RED CEDAR	. Sheared;	an exceedi	ngly come	ely form
admired by all. 40 ft 2 - 3 ft	. 40 . 70 . 110	.90 1.15 1.50 2.25 8.00	1.10	.90 1.25
JUNIPERUS virginiana - RED CEDAR Selected specimen standards u	. 4 ft. St p to 6 ft.	tandard Ste 2.50	ms. Glob 2.25	be Heads. 2.00
JUNIPERUS virginiana burki - BUR attractive Red Cedar.	K RED CEDAR. Preferred	. A silver	ry, evenly	y formed iniana
glauca. 15 ft. 2 - 3 ft	. 70 . 110 . 110	1.75	1.60 2.35	2.85


Approx. Weight E	Each Each Lach per 100
JUNIPERUS virginalis (formerly japonica erecta) - U JUNIPER. Many branches, deep vase like; green; a new style and color for landscap 18-24 in	foliage soft, bright ing. 5 ft. \$.65 \$.60
50-36 in	Foliage heavily 50 1.35 1.25 75 1.65 1.50 25 2.15 2.00 75 2.50
variety. 20 ft. 5 - 6 ft	75 76
	ft. spread. Use to 25 1.00 75 1.50
3 - 4 ft 70	r frost. Popular. 20 ft
3 - 4 ft 70	outstanding green ion in a planting. 20 ft15



JUNIPERUS viridifolia compacta mana. No. 102 - A semi-dwarf upright juniper having the style of foliage and irregular branching habit of Juniper Sylvestris without spiny needles but closer, slower, more compact, and only grows to a height of about 4 ft. Handsome, new. 24-30 in			Arteron. Cogno	E Each pe	ach E r 10 pe	ach r 100
24-30 in		juniper having the style habit of Juniper Sylvestr slower, more compact, and	of foliage and is without sp	d irregulatiny needle	r branchi. s but clo	ng ser,
3 - 4 ft		24-30 in	70	1.50	1.35	
Balled and Burlapped (B&B) unless noted. (NE) - Not Balled. All bareroot shrubs packed in bundles of 10. ABELIA grandiflora - GLOSSY ABELIA. 5 ft. 6 -12 in. hedging grade NB \$.07 \$.05 12-18 in. hedging grade NB .15 .12 .10 18-24 in. hedging grade NB .18 .17 .15 2 - 3 ft. hedging grade NB .30 .28 .25 3 - 4 ft. hedging grade NB .30 .28 .25 3 - 4 ft. hedging grade NB .45 .40 .35 18-24 in. hedging grade NB .45 .40 .35 18-24 in. hedging grade NB .45 .55 .50 .40 2 - 3 ft. hedging grade A0 .55 .50 .40 2 - 3 ft. heavy A0 .65 .60 .50 3 - 4 ft. heavy A0 .65 .60 .50 3 - 4 ft. heavy .70 .90 .80 .65 AGARITA (berberis) swazeyi - SWAZEY'S AGARITA, Green. Has seven leaflets. Red berries which ripen about two to three weeks later than Agarita trifoliata. Useful for protective hedging, or as individual specimens and groups. 6 ft. 18-24 in		3 - 4 ft	40 70	1.65 2.25	1.50 2.00	sand ware
ABELIA grandiflora - GLOSSY ABELIA. 5 ft. 6 -12 in. hedging grade NB \$.07 \$.05 12-18 in. hedging grade NB .15 .12 .10 18-24 in. hedging grade NB .18 .17 .15 2 - 3 ft. hedging grade NB .30 .28 .25 3 - 4 ft. hedging grade NB .30 .28 .25 3 - 4 ft. hedging grade NB .45 .40 .35 18-24 in. hedging grade NB .45 .40 .35 18-24 in. hedging grade 40 .55 .50 .40 2 - 3 ft. heavy 40 .65 .60 .50 3 - 4 ft. heavy 70 .90 .80 .65 AGARITA (berberis) swazeyi - SWAZEY'S AGARITA. Green. Has seven leaflets. Red berries which ripen about two to three weeks later than Agarita trifoliata. Useful for protective hedging, or as individual specimens and groups. 6 ft. 18-24 in	į	BROADLEAVE	D EVERGREENS			
6 -12 in. hedging grade NB					t Balled.	
lets. Red berries which ripen about two to three weeks later than Agarita trifoliata. Useful for protective hedging, or as individual specimens and groups. 6 ft. 18-24 in		6 -12 in. hedging grade 12-18 in. hedging grade 18-24 in. hedging grade 2 - 3 ft. hedging grade 3 - 4 ft. hedging grade 18-24 in. hedging grade 2 - 3 ft. hedging grade 2 - 3 ft. hedging grade 2 - 3 ft. heavy	NB NB NB NB NB NB 40 40	.15 .18 .30 .45 .40 .55	.12 .17 .28 .40 .35 .50	.10 .15 .25 .35 .30 .40
AGARITA (berberis) trifoliata - AGARITA. Evergreen shrub; three holly- like bluish-green leaflets; red berries in early summer. Use ful for protective hedging and as specimens. 6 ft. 12-18 in		lets. Red berries which than Agarita trifoliata.	ripen about t Useful for p	wo to thre rotective	e weeks 1	ater
like bluish-green leaflets; red berries in early summer. Use ful for protective hedging and as specimens. 6 ft. 12-18 in		18-24 in	30	. 50		
		like bluish-green leaflet ful for protective hedgin 12-18 in	s; red berrie ng and as spec 22 30	s in early imens. 6 .50 .65	summer. ft. .45 .60	.40



	Approx. Weight	Each	Each per 10	Each per 100
BERBERIS sargenti - Sargent Barber 12-18 in	22 lbs. 30		\$.70	.80
BUXUS sempervirens - BOXWOOD. True 9 -12 in. mediums 12-15 in. mediums 15-18 in. mediums 18-24 in. mediums 18-24 in. heavy grade 24-30 in. heavy grade 30-36 in. heavy grade	14 22 30 40 70 110	.40 .55 .75 1.00 2.50 3.50	.35 .50 .65 .85 2.25 3.25 4.25	
CLEYERA japonica - CLEYERA. Excel polished leaves 3 inches dark green colors. With 15-18 in	long with blastood zero he	ends of re. 4 f	copper, r	ed and
COTONEASTER decora - NECKLACE COTO	Hardy, heat r	esistant		
along branches like a 'ne 15-18 in	30 40	.70 .85	.65 .80 1.15	.60 .75
COTONEASTER parnayi (lactea) - PAF leaved with large red bo	rries. Weath	er and s	sun-resist	y black ant.
Fast becoming the most a 18-24 in	30	. 60 . 90	. 55	
ELEAGNUS pungens fruitlandi - FRUI 18-24 in	30 40 70	S. 10: .75 1.00 1.25 1.75	.65 .90 1.15	\
ELEAGNUS macrophylla - BROADLEAF I 18-24 in	30 40	ft. .75 1.00 1.25	.65 .90 1.15	.60 .85 1.10



Approx. Weight Each	Each per 10	Each per 100
ELEAGNUS pungens reflexa - BRONZE ELEAGNUS. 15 ft. 18-24 in	\$.65 .90 1.15 1.35	
18-24 in	.65 .90 1.15	
ELEAGNUS pungens simoni STRON ELEAGNUS 6 ft 18-24 in 24-30 in 40 1.00 30-36 in 70 1.25	.90	
ERIOEOTRYA japonica - LOQUAT. A tall growing unusuall attractive, different, evergreen tree. 12 ft 2 - 3 ft	t.	
24-30 in NB 40		.15
EUONYMUS japonicus - JAPANESE EUONYMUS. 20 ft. 18-24 in. 30 24-30 in. 40 30-36 in. 70		. 60
EURYA japonica - EURYA. A companion to Cleyera (page attractive. 18-24 in		maps weight
FEIJOA sellowiana - PINEAPPLE GUAVA. Grayish-green s flowers and cdible fruits. 5 ft. 2 - 3 ft 40 1.00		
GARDENIA fortunei - FORTUNE'S CAPE JASMINE, Everbloom 12-18 in. One year		. 30

er * . A Company of the Comp *

	Approx. Weight	Each	Each per 10	Each per 100		
GARDENIA jasminoides - (Japonica) Vigorous, cold resistant Cape Jasmine, spring and summer blooming, large, single, fragrant flowers, red seed pods. 4 ft.						
24-30 in	70 lbs. 70	\$.90	\$.85	\$.75		
HEDERA helix - English, Englemann, (See Vines)	Hahn's Branc	hing and	Bunchlea	f Ivy.		
HYPERICUM aureum - GOLD FLOWER, ST leaves bluish; flowers a resistant, "at home" any 18-24 in	golden yellow. Where in Texa	Likes n	low shr	ub; 1. Sun-		
18-24 in	40 40	.65	. 60	. 50		
ILEX cassine - DAHOON HOLLY. A tr fruits abundantly with h	right red ber	ries from	fall un	es; til		
spring. Useful for a ch 2 - 3 ft. 3 - 4 ft. 4 - 5 ft. 5 - 6 ft. 6 - 7 ft. 7 - 8 ft.	40 70 110 150	1.00 1.25 1.75 2.50	.85 1.15 1.65 2.25	1.00 1.50 2.00		
ILEX cornuta - CHINESE HORNED HOLL dark green glossy, spiny berries throughout the w Jersey. Berried, or pro 18-24 in. 24-30 in. 30-36 in. 3 - 4 ft. 4 - 5 ft.	Y. A shrub-f leaves and v inter. Hardy pagated from 40 70 110 160	orm showy ery large to Maryl	holly we red holl and and plants.	ith very ly New 10 ft. 1.25 1.75 2.25 3.00		
ILEX cornuta burfordi (femina) - BURFORD CHINESE HOLLY. Equally showy and desirable as I. cornuta except that the leaves have but one tip end spine. 8 ft.						
15-18 in	30 40 70 110 110	1.00 1.50 2.00 2.50 3.75 5.00	.90 1.35 1.85 2.35 3.50 4.50	.85 1.25 1.75 2.25 3.25 4.00		

	Approx. Weight	Each]	Each per 10	Each or 100	
ILEX crenata rotundifolia - JAPANESE HOLLY, Roundleaved. Splendid new dark green spineless holly for formal plantings; makes a fine hedge. 10 ft.					
15-18 in. 18-24 in. 30-36 in.	40	\$1.00 1.50 2.50	\$.90		
ILEX myrtifolia - Willow leaved Ho		n Shrub,	or small t	ree.	
18-24 in. 2 - 3 ft. 3 - 4 ft. 4 - 5 ft. 5 - 6 ft.	40 70	.75 1.00 1.25 1.75 2.50			
ILEX opaca - AMERICAN HOLLY, berri 3 - 4 ft. 4 - 5 ft. 5 - 6 ft. 6 - 7 ft. 7 - 8 ft.	40 70 110 160	2.00 2.50 3.50 4.00 5.00	1.85 2.35 3.25 3.50 4.50	1.75 2.25 	
ILEX opaca cassine - HUME NO. 2. Spiny holly leaves, large	pafraad har e	ybrid of A	American H	Holly.	
3 - 4 ft. 4 - 5 ft. 5 - 6 ft. 6 - 7 ft.	70 110 160	2.60 2.50 3.50 4.00	3.25	and the	
ILEX verticillata - WINTERBERRY. A fine hedge plant with red berries. Deciduous. 10 ft.					
18-24 in	40	.75 1.00 1.50	.65	. 60	
ILEX vomitoria - YAUPON HOLLY. We for hedges. Bright red l	perries. 15	ompact. A	A great fa	vorite	
15-18 in. 18-24 in. 24-30 in. 30-36 im. 3 - 4 ft. 4 - 5 ft.	22 30 40 70	.75 .90 1.25 1.75 2.50 3.00	.65 .85 1.10 1.65 2.25	.60 .75 1.00 1.50 2.00	

Approx. Weight Each	Each Each per 10 per 100
JASMINUM humile - Florida, Mexican or Italian Jasmine sweet yellow flowers. 6 ft.	, Everblooming;
18-24 in	\$.45 \$.40 .75 .65 .90 .80
JASMINUM nudiflorum - WINTER JASMINE. Yellow flowers appear. Hardy into Ohio, 4 ft.	
appear. Hardy into Ohio, 4 ft. 18-24 in	.35 .30
JASMINUM primulinum - PRIMROSE JASMINE. Yellow flowe upright bush than J. humile and nudiflorum.	rs. More vigorous A favorite for
2 - 3 ft	.75 .65
LAVENDURA vera - TRUE LAVENDER, Purple flowers, light Good for edgings and borders. 2 ft. spread 6 -12 in	at gray dwarf herb.
LAUROCERASUS caroliniana - CHERRY LAUREL. Well shear 2 - 3 ft	red, compact. 20 ft. 50 .50 .75 .75 1.25 1.00 1.75 1.50
4 - 5 ft	. 35
LIGUSTRUM japonicum excelsum superbum - VARIEGATED JA White variegated, shapely, compact upright novelty. Probably 5 ft.	APANESE PRIVET. growing. A choice
4 - 5 ft 110	5 1.65 1.50
4 - 5 ft	zontally the same, etrical. 0 .45 .40 5 .70 .60 0 .90 .80 5 1.65 1.50 5 2.00
5 - 6 ft. extras 200 2.5	0


	Approx. Weight	Hech r	Each	Each	
TTGUGGDIN 3 and 3 arm amount IDDTGUG					
LIGUSTRUM lucidum erecta - UPRIGHT sturdy dark green, bushy	Ligustrum muc	h used for	or backgr	ounds.	
10 ft. 2 - 3 ft	110	\$.90 1.25 1.75	\$.8 5 1.15 1.65	\$.75	
LIGUSTRUM lucidum repandum - CRINKL compactness. Requires b 3 - 4 ft	ut little shea	ring. 7	90	80	
LONICERA belgica - BELGIAN HONEYSUC spring and fall. 4 ft.					
2 yr. No.1	\$17.50 p			per 10	
LONICERA halleana - HALL'S JAPAN HO	NEYSUCKLE. (S	See Vines).		
LONICERA heckrotti - HECKROTT HONEY	SUCKLE. (See	Vines)			
LONICERA sempervirens - RED CORAL (See Vines)	or SCARLET TRUI	MPET HONE	YSUCKLE.		
LOROPETALUM chinensis - CHINESE WHI	TE FRINGE SHR	JB. New	half-dwal	cf	
15-18 in	. 22	.50 .75	an		
MAGNOLIA grandiflora - SOUTHERN MAGNOLIA. Large waxy white, fragrant					
flowers. Evergreen. 18-24 in	. 40 . 70 . 110	2.00	.90 1.15 1.65	1.00	
MYRICA cerifera - SOUTHERN WAXMYRT fragrant. Bears blue o of branches. 10 ft.	LE. (Southern edar-like berr	Bayberry; ies on to	Leaves	spicil: base	
3 - 4 ft	. 110	.75 1.00 2.00			
MYRTIS communis microphylla - DWAR	F ROMAN MYRTLE	2 ft. .90	.85	.7	

BROADLEAVED EVERGREENS (CONT'D)

	Approx. Weight	Each	Each per 10	Each per 100
NANDINA domestica - NANDINA, Heavo clusters and gorgeous au 8 ft. Light grade.	nly Ramboo. Suan follage	Brilliar are its	nt red ber big attra	ried ction.
9 -12 in. 12-15 in. 15-13 in. 18-24 in. 24-30 in.	14 22 30	\$.35 .40 .50 .65 .75		\$.25 .30 .40 .50 .60
Regular Grade. 12-15 in. 15-13 in. 15-24 in. 24-30 in. 30-36 in.	22 30 40	.65 .80 1.00 1.25 1.50	1.15	.45 .60 .75 1.00
PITTOSPANM tobira - PITTOSPORUM. round evergreen shrub.	Well known d	ark gree	n, slow g	rowing,
12-15 in. 15-18 in. 18-24 in.	14 _ 22	.60 .75	.55 .70 .85	.50 .60 .75
PHOTINIA serrulata - PHOTINIA. La green foliaged ornamenta 18-24 in. 2 - 3 ft. 3 - 4 ft. 4 - 5 ft.	l evergreen s 30 40 70	hrub. G .60 .75	rafted. .55 .70 .95	15 ft. .50 .65
PHOTINIA serrulata compacta nana - leaves slightly sermated classy low hodges. New.	; cark groen	IA. Com	pact grow Excellent	ing, for
18-24 in	4.0	1.00	.95 1.40	.85 1.25
PYRACANTHA atalantioides - New, up:	right, hardy;	red fru	its which	color
18-24 in	50 40 70	. 50 . 75	. 80	.70

BROADLEAVED EVERGREENS (CONT'D)

Approx. Weight Each Each per 10 per 1 PYRACANTHA lalandi - LALAND FIRETHORN. Upright growing; orange fruits early in fall. The most popular one. Makes a brilliant shown until late winter. 10 ft. 2 - 3 ft			
until late winter. 10 ft. 2 - 3 ft			
2 - 3 IT			
SANTOLINA - LAVENDER-COTTON. Grevish herb much used for low borders			
DECI DUOUS			
Not balled (NB) unless otherwise noted.			
AMPELOPSIS brevipedunculata elegnos - PORCELAIN VINE. (See Vines)			
BUDDLEIA Ile de France - DWARF BUTTERTEN EUSH. Wine colored flowers, everblooming, new. Useful for out flowers for florist designing. 4 ft.			
2 - 3 ft			
BUDDLEIA Pink Charming. Taller growing than above. Pink. 8 ft. 2 - 3 ft			
CELASTRIS scandens - BITTERSWEET. (See Vines)			
CALLICARPA giraldiana - CHINESE BEAUTYBERRY. Pink flowers July to September, clusters of violet fruits. Said to be hardy to New England. 10 ft.			
2 - 3 ft			
CERCIS canadensis - REDBUD, JUDAS TREE. 18 ft.			
2 - 3 ft			



DECIDUOUS (CONT'D)

Approx. Weight	Each	Each per 10	Each per 100	
CERCIS chinensis - CHINESE REDBUD. Dwarf, close flowers. 6 ft.	e-leaved	, bushy;	lavender	
2 - 3 ft. 3 - 4 ft. 4 - 5 ft. 3 - 4 ft. 4 - 5 ft. 5 - 6 ft. 110	.85	\$.18 .25 .35 .45 .75	.65	
CHILOPSIS linearis - FLOWERING or DESERT WILLOW. large, orchid-pink flowers. 8 ft.	Summer	c floweri	ng,	
2 - 3 ft	. 20	.18	.15	
CORNUS florida - WHITE DOGWOOD. Beautiful shruk white, green-tipped flowers in early so the structure of the	.75	20 ft. .70 .85	.60	
CORNUS florida rubra - RAD FLOYIRING DOGWOOD. 3 - 4 ft	1.50			
CYDONIA japonica rubra - JAPANESE QUINCE. Red. 18-24 in	Special .20 .65	.18 .60	ted stock.	
EXOCHORDA grandiflora - PEARL BUSH. Pearl-like buds, white flowers. Makes a wonderful show in May and June. Should be bought in January and February and sold B&B or in containers when in bloom in early spring.				
2 - 3 ft. well branched 3 - 4 ft. well branches, extra heavy	. 20	.18	.15 .35	
FORSYTHIS intermedia spectabilis - SHOWY BORDER FORSYTHIA. Large yellow flowers, early blooming. 8 ft.				
18-24 in. 2 - 3 ft.	.15	.13	.10	
LAGERSTROEMIA indica - DWARF CREPE MYRTLE. Watermelon red. The true dwarf type. 4 ft.				
18-24 in	.15 .20 .30 .60	. 25	.15	

DECIDUOUS (CONT'D)

	Approx. Weight	Each	Each per 10	Each per 100
LIGUSTRUM amurensis (chinensis) - 18-24 in. 2 - 3 ft. 3 - 4 ft. 4 - 5 ft.	AMOOR RIVER 93.00 4.00	SOUTH PRI per 100 per 100 per 100	VET. 15 \$27.50 35.00	ft.
LIGUSTRUM chinensis - BABY DOLL Pi half-dwarf Amoor River	RIVET. A hapr	y select	ion, beir	ng a
18-24 in	3.00	700	27.50 35.00	per 1000 per 1000
LIGUSTRUM chinensis pendula nana . SOUTH PRIVET. A real we	- ROSEMONT DWA	RF WEEPI	NG AMOOR	RIVER
18-24 in. 2 - 3 ft	1 80	non 70	75 00	per 100 per 100
LIGUSTRUM - LODENSE PRIVET. 12 in 4 - 6 in. 6 -12 in. 12-15 in.	. 90	per 10 per 10 per 10	10.00	per 100 per 100 per 100
SALIX babylonica annularis (crispa leaf curled into a ring) Decided novelty, 25 ft.	let. Grows ta	ill but b	ranches w	reep.
3 - 4 ft	40 lbs.	\$.30	\$.28	\$.25
SPIREA anthony waterer - Deep rose 6 -12 in. Bushy	color. June	-September .12	er. 3½ft .10	.08
SPIREA prunifolia - PLUMLEAVED SPI white flowers. February	ים אווים			
12-18 in		. 20	.18	.15
SPIREA thunbergi - THUNBERG SPIREA thin leaves; earliest to 18-24 in. 24-30 in.	bloom in spr	ing. Fel	rs and da oruary. .18 .28	4 ft.
SPIREA vanhoutte - BRIDAL WREATH. 18-24 in	6.00	ner 100	50.00	non 7000

DECIDUOUS (CONT'D)

Approx. Weight	Each	Each per 10	Each per 100
SYMPHORICARPOS vulgaris - CORALBERRY. Indian Culike a string of red coral beads in the	rrant. ne winte	Graceful r when no	shrub thing
12-18 in	\$.12	\$.10 .14	\$.08
SYRINGA rothomagensis - LILAC. Similar to Persi not so thin looking. Blossoms frequer of all for the South. 10 ft.	ntly all	season.	Best
2 - 3 ft	.16	.14	.12
UNGNADIA speciosa - SPANISH BUCKEYE. Pretty per on a nice shrub. Black buckeyes. Nic	farron as	tr 6 ft	
18-24 in	.15 .25	.14	.12
WEIGELA Abel Carriere - Similar in color to Rose intermittently all summer. Upright gr	CONTRA	5 ft	
12-18 in	.15 .20 .30	.13 .18 .28	.10 .15 .25
WEIGELA Eva Rathke - Red. May-June. 5 ft. 12-18 in. 18-24 in. 2 - 3 ft.	.15 .20 .30	.13 .18 .28	,15
WEIGELA rosea - PINK WEIGELA. May-June. 8 ft. 12-18 in	.15	.13 .18 .28	
WISTERIA chinensis - WISTERIA. (See Vines)			
GRASSES			
CORTADERIA argentea - PAMPAS GRASS. Large white Clumps 40 lbs. Light one year clumps 30	plumes .60 .40	. 55	
DASYLIRON texanum - SOTOL. Slender, green, sawedged leaves, white flowers. Tremendous long flower spikes about 8 to 10 feet			
long. Useful in formal plantings and 2 - 3 ft 40	urns.	3 ft.	

The state of the s

VINES

Each Each Der 100 per 100
AMPELOPSIS brevipedunculata elegans - PORCELAIN VINE. Very ornamental, tendril-climbing shrub or vine; leaves brightly variegated green, white and pink.
18-24 in
CELASTRIS scandens - BITTERSWEET. Vine which can be grown as shrub by staking. Seed pods burst in fall and the brightly colored orange seeds in yellow jackets remain until spring. 18-24 in
EUONYMUS radicans - WINTERCREEPER. Ground cover for shady places. Fine for terrace walls and buildings. 8 ft. spread. 2 yr. vines
GELSEMIUM sempervirens - CAROLINA JASMINE. Vine, tubular yellow, pleasantly fragrant flowers. Will grow to tree tops or cover arbors and fences.
Heavy
HEDERA helix - ENGLISH IVY. Excellent large leaved vine for climbing and for shady ground lover. Adheres to walls.
Out of pots
HEDERA helix - HAHN'S SELF-BRANCHING. Foliage about one-half size of English Ivy.
Out of pots
LONICERA halleana - HALL'S JAPAN HONEYSUCKLE. White flowering climbing vine. June to October. 25 ft.
l year No. 1 6.00 per 100 50.00 per 1000 1 year No. 2 5.00 per 100 40.00 per 1000
LONICERA heckrotti - HECKROTT HONEYSUCKLE. Flame; everblooming, sheared to bush form. May until frost. 20 ft.
18-24 in. .15 .13 .10 2 - 3 ft. .20 .18 .15 2 - 3 ft. .40 .50 .45 .40 1 year No. 1. 8.00 per 100 75.00 per 1000

VINES (CONT'D)

Approx. Each Each Weight Each per 10 per 10	
LONICERA sempervirens - RED CORAL or SCARLET TRUMPET HONEYSUCKLE. Everblooming, red; bright with mature red fruits and red flower buds throughout our Texas winters. Usable as either bush or vine. Staked plants, heavy. 1 year No. 1	
WISTERIA chinensis - WISTERIA. Propagated from plants which bloom before the leaves appear. Makes a wonderful spring display. Should be dug and delivered early while dormant, preferably by February 1st, as the flower buds shatter off during later delivery.	
Lining out size	
WISTERIA standards. Select heads	

(games) hamsy

Approx. Sacs per 10 per 1

AMERICAN SECTION - RED CORAL OF SAMUET TARREST HOME FOR STUDIES AND THE REPORT OF THE PRODUCT OF STUDIES WINDOWS OF STUDIES OF TOXAS WINDOWS OF STUDIES STARTS SERVED STUDIES OF STUDIES STARTS STARTS

Tropping all the second second second to the second second

CON OLD STATE STATE OF THE STREET STATE OF THE STATE OF T

